





# PRINCESS 82 MOTOR YACHT

The new 82 Motor Yacht has a crisp contemporary style that suggests this is a craft born of the very latest in design and construction technology, yet she retains a refined elegance that is unmistakably Princess.

Extended window lines run along each side providing a sleek, dynamic profile and exceptional visibility from the main deck saloon, whilst the very latest deep-V hull is resin infused to ensure a highly capable and efficient performance that is both assured and rewarding.

The exterior space on board is plentiful with a large cockpit complete with teak table for alfresco dining, an intimate foredeck seating and sunbathing area for a more private escape and an incredible flybridge with additional dining, seating and sunbathing areas all serviced from a dedicated wetbar. A hydraulic raise/lower bathing platform is fitted as standard.

As with all Princess Motor Yachts her interior is light, sophisticated and impeccably detailed with an intelligent use of space throughout. The main deck saloon incorporates relaxed low level furnishings and a formal dining area which are separated from the wheelhouse and highly specified galley to ensure guest privacy.

The guest accommodation comprises of four beautifully appointed en-suite cabins. A full beam owner's suite and forward VIP are complemented by a twin cabin to port and a further double stateroom to starboard. Crew are accommodated in a twin en-suite cabin aft of the machinery space together with a utility area which can be specified as a second twin crew cabin if required.










PROFILE (WITH OPTIONAL HARDTOP)



FLYBRIDGE LAYOUT



MAIN DECK LAYOUT



LOWER ACCOMMODATION LAYOUT

#### PRINCIPAL DIMENSIONS

I KINGII AL DIMENSIONS	
Length overall (incl. pulpit)	83ft 7in (25.5m)
Length overall (excl. pulpit)	82ft 8in (25.22m)
Beam	18ft 10in (5.74 m)
Draft	5ft 11in (1.8m)
Displacement approx.	55,000 kg* (121,253lbs)
Fuel capacity	1,417 gal/1,701 US gal/6,442L
Water capacity (incl. calorifier)	305 gal/366 US gal/1 386

# STANDARD EQUIPMENT

STANDARD EQUIPMENT
Power-assisted steering system
Bow thruster (240kgf/529lbf)
24v DC/240v AC electrical system
240v shore power with 2 x 80-amp float battery charger
220v/240v diesel generator (27kW)
Full air-conditioning with reverse cycle heating
Dual station remote control electric anchor winch
Deck/anchor wash
Electric stern rope mooring winches

 $\label{eq:Dual station} \mbox{ Dual station electro-hydraulic trim tabs with indicators}$ 

Dual station autopilot

Dual station VHF with DSC R/T with intercom

Colour radar with scanner and GPS/chart plotter
(twin displays at lower helm and one at upper helm)

Dual station speed and distance log

Dual station echo sounder with alarm

Dual station remote control searchlight

Combination microwave/conventional oven/grill

Full height refrigerator with freezer drawers

Ice maker

Cocktail cabinet with refrigerator

Flybridge bar with sink, barbecue, top loading coolbox, waste bin, storage and optional icemaker

Dishwashe

Washing machine and separate dryer in crew area Electric quietflush toilets with holding tank

Flybridge stereo radio/iPod/MP3

Saloon LED TV/DVD with surround-sound

Teak-laid transom platform, cockpit deck, flybridge stairway, step to side decks, side decks, foredeck walkthrough and flybridge

Flybridge sunbed

Helmsman's door to starboard side deck

Opening door to port side deck from galley

Stainless-steel framed saloon doors

Electro-hydraulic raise/lower system to transom platform

Remote control telescopic passerelle

Hot and cold transom shower

Fully fitted twin crew cabin (with option of second crew cabin)

Cockpit night cover

### ENGINE OPTIONS - DIESEL

Twin Caterpillar C32 A (2 x 1622mhp) Speed range: 30-33 knots †

Twin MTU 10V 2000 M94 (2 x 1624mhp) Speed range: 30-33 knots †

Twin Caterpillar C32 A (2 x 1723mhp) Speed range: 32-34 knots †

#### DECK FITTINGS

- Teak-laid transom platform, cockpit deck, flybridge stairway, step to side decks, side decks, foredeck walkthrough and flybridge
- Reversible electric anchor winch with foredeck. main helm and flybridge controls
- Stemhead roller with automatic anchor launch and retrieve
- Self-stowing 63kg/138lbs Delta anchor with 100m of 12mm chain
- Electric twin stern rope mooring winches port and starboard
- Bow rope stowage locker
   Freshwater deck/anchor wash (with both fore and aft deck outlets)
- Coachroof sunbed recess with cushions
- Twin coachroof lockers for storage of fenders, ropes and sunbed cushions
- Coachroof seating and sunbed areaForedeck stowaway teak table
- Stainless-steel bow, stern, transom and spring cleats (2 pairs)
- Stainless-steel pulpit and guard rails
- Forward coachroof handrails
- Row fairlead
- Canopy handrails
- PVC high impact rubbing band with stainless-steel insert
- Full set IMCO navigation lights
- Riding light
- Dual station remote control searchlight
- Twin electric horns
- Fuel and water fillers
- Telephone connection point
- Stern docking lights

#### AFT COCKPIT

- Self-draining
- Upholstered seating with teak table
- Deck lightingStainless-steel handrails
- Remote control telescopic passerelle (3.8m)
- Rope lockers
- Electro-hydraulic raise/lower transom bathing
   platform (safe working load 550kg/1,213lbs), foldaway
   swimming ladder, hot and cold shower, teak sole and deck lights
- Door leading to crew cabin/utility area and engine room area from side deck
- Watertight transom door giving direct access from bathing platform

  Locker housing 240v shore support inlet
- Transom stowage compartmentWash handbasin with tap
- Twin liferaft lockers
- Cockpit cover

#### FLYBRIDGE

- Dual station instrument controls (see Wheelhouse)
- Helm position with hydraulically raised instrument console
- Power-assisted electro-hydraulic steering with adjustable wheel
- Bilge pump visual and audible warning indicator
   Engine room fire extinguisher warning system
   Radar and GPS chart plotter
   U-shaped sofa/dinette

- Teak table to seat 8
- Adjustable helm seat
- Twin forward facing J-shaped seating
- Bar with sink, barbecue, coolbox, waste bin, storage and optional icemaker
- Large sunbed
- Optional spa bath
- Stereo radio/iPod\_MP3 dock Aft access from cockpit via hatch
- Wind deflector screens
- Stainless-steel handrails
- Deck-level lighting
- GRP radar arch
- Console and seat covers
- Matched whip aerials for VHF/RT and radio
- Aft area for optional free standing furniture or tender/ jet ski storage
- Optional electro-hydraulic crane for tender/iet ski (safe working load 480kg/1058lbs)
- Optional GRP hardtop with electric opening section (or optional folding bimini with electro-hydraulic operation)

# WHEELHOUSE

- Instrument console with engine instruments and fuel gauges

  Dual station instruments and controls at Flybridge
- and Lower Helm Position:

  ▶ rudder position indicator
- ▶ electronic engine controls
- ▶ engine instrumentation

- power-assisted hydraulic steering with adjustable steering wheel

#### WHEELHOUSE (CONTINUED)

- bow thruster controlremote control electric anchor winch ▶ trim tab controls with indicators
- ▶ VHF with DSC R/T and intercom
- ▶ Colour radar (with scanner) and GPS/Chartplotter (twin displays at lower helm)
- ► speed and distance log
- echo sounder with alarm
- ▶ remote control searchlight
- ▶ high-speed compass
- ▶ horn button
- Intercom to flybridgeAutomatic foghorn with loud hailer
- Twin leather upholstered helm seats with electric adjustment
- Triple windscreen wipers with windscreen wash
- Bilge pump controls with visual 'pump running'
- 24v and 240v control panels
- Sunscreen (black mesh)
- Clear toughened glass windscreen for unimpaired night vision
- Helmsman's door to starhoard side deck
- Port side U-shaped seating with table
- Electric drop window to port side
- 12v outlet
- Red night lightingTimber-laid floor

#### DECK SALOON

- Large U shaped seating area to port and sofa on starhnard side
- Entertainment centre incorporating LED TV linked to surround-sound system with electric raise/lower mechanism
- Cocktail cabinet with refrigerator, icemaker, bottle and glass storage
- Curtains or blinds to all windows
- Overhead downlighters and pelmet lights
- Stainless-steel framed cockpit triple doors

#### Dining area:

Separate dining area (8 chairs), dining table with sideboard units port and starboard

### GALLEY

- Granite/marble worktop
- Ceramic 4-ring hob
- Extractor fan Combination microwave/conventional oven with grill
- Twin-bowl stainless-steel sinks with mixer tapFull height fridge/freezer
- Dishwasher Overhead and concealed lighting
- Drawers and storage cupboards
- Timber-laid floor
- Opening door to port side deck
   Galley lobby with space for additional refrigerator or wine cooler and coffee maker

#### ACCOMMODATION

- All cabins feature opening and/or fixed portholes, 240v power points and air-conditioning
- All bathrooms feature opening portholes, fresh water electric quietflush toilets (connected to holding tank system) 240v shaver points and air-conditioning

## OWNER'S STATEROOM

- Large double bed with drawers below ■ Redside cabinets
- Walk-in wardrobe with additional storage ■ Built-in safe
- Dressing table with chairLED TV/DVD/radio
- Occasional table with seats fore and aft
- Drawers and lockers Overhead and individual berth lights

#### En-suite bathroom:

- Twin washbasins with mixer tap
   Separate stall shower with auto shower pump out ■ Extractor fan
- Mirrors
- Storage lockers ■ Ontional hidet

#### FORWARD STATEROOM

- Large double bed with drawers below ■ Walk-in wardrobe with shelves
- Mirror ■ Dressing table with storage
- LED TV/DVD/radio ■ Storage lockers
- Overhead and individual berth lights

#### Deck hatch with integrated skylight and blind En-suite bathroom:

- Washbasin with mixer tap ■ Shower stall with automatic pump-out
- Extractor fan ■ Mirrors
- Storage lockers

#### PORT GUEST CABIN

- Two single beds with drawers belowWardrobe with shelves
- Mirror
- Bedside table with storage
- High-level lockersOverhead and individual berth lights
- Optional electrically powered sliding berths to create double berth

#### En-suite bathroom

- Washbasin with mixer tap
- Shower stall with automatic pump-out
- Extractor fan
- Storage lockers
- STARBOARD GUEST CABIN
- Large double bedBedside tables with storage
- Wardrobe
- Dressing table with stool
- Overhead and individual berth lights

#### En-suite bathroom:

- Washbasin with mixer tapShower cubicle with automatic pump-out ■ Extractor fan
- Mirrors
- Storage lockers ■ Starboard shower/WC has access door from passageway as well as from cabin

### LOWER ACCOMMODATION LOBBY

- Storage cupboard with option of fitting additional washer/dryer (in addition to those fitted in crew area)
- Under floor storage area

#### Cupboard for suitcase storage CREW CABIN

- Two single berths
- Hanging and storage lockers
- Overhead and individual berth lights Access via stairway from side deck or from transom door
- Bathroom: Washbasin with mixer tap
- Shower stall with automatic numn-out ■ Extractor fan
- Mirror

UTILITY AREA

Fitted out as standard as a utility area with storage cupboards and lockers or alternatively as a second crew cabin with two berths, hanging and storage lockers, or as a crew mess area with seating, table, sink microwave oven and storage.

# CREW LOBBY AREA

- Washing machine and dryer
- INTERIOR FINISH ■ Furniture finished in a choice of Serotina Cherry or Light

# Oak with either a satin or high gloss finish. Walnut is

■ Galley in choice of granite or marble ■ Bathroom unit worktops and floors in choice of marble or granite

Choice of upholstery fabrics, carpets and curtains from

- co-ordinated range
  Timber-laid galley and helm floors
  Timber-laid crew area floors

#### **POWER AND DRIVE SYSTEMS**

- Engine room soundproofed
- High-volume air intakes
- Engine room extractor fan with electronic time delay ■ Engine exhaust silencers and water-cooled exhausts Engine beds integrally moulded with hull for strength and vibration absorption

Forward and aft engine-room bulkheads

- integrally bonded Engines flexibly mountedAutomatic fire extinguisher with remote
- override control Automatic and manual bilge pumps
- Engine-room lighting
  Propeller shafts in Marinemet.
- 5-bladed propellers in nickel aluminium bronze ■ High-speed balanced rudders ■ Cathodic protection for sterngea

Sterngear, engines, fuel tank fillers, etc all

- electrically bonded ■ Power-assisted steering system
- Single-lever electronic engine controls
   Bow thruster (240kgf/529lbf) Freshwater supply point in engine room. ■ Dripless shaft seals

# ELECTRICAL SYSTEM

#### 24 Volt:

- 4 x heavy-duty batteries for engine starting and
- windlass operation ■ 6 x heavy-duty auxiliary batteries
- Engine alternators charge both banks of batteries via automatic switch charging system
- 2 x 80amp battery chargers charge both banks of batteries via an automatic switch charging system
- Battery paralleling system with remote control at helm
- Remote battery master switches with control switch at
- main switch panel

  Circuit breakers on all circuits ■ 24–12v dropper for certain navigation and radio circuits
- 220/240 Volt: ■ 27kW @ 50Hz diesel generator in own soundproof
- shield with water-cooled and specially silenced exhaust
- 2 x 63-amp shore support inlets
- Generator/shore support change-over switches
- Polarity check system ■ Earth leakage safety trip, circuit breakers on all circuits

**FUEL SYSTEM** ■ Twin fuel tanks (in NS8 marine grade alloy) with interconnection system giving 1417 gallons, 1701 US gallons (6442 litres) capacity

Power points in saloon, galley, all cabins and

- Fuel fillers on both side decks ■ High-capacity duplex fuel filters/water traps with changeover cocks and visual/audible contamination
- warning at console Remote fuel shut offs in helm locker

# ■ Fuel gauges at upper and lower helm consoles

- WATER SYSTEM ■ Water tanks totalling 305 gallons/366 US gallons (1,386 litres) including hot water calorifier 40 gallons/ 48 US gallons (182 litres), increasing to 60 gallons/
- 72 US gallons(273 litres) with optional spa bath ■ Water heated 240v immersion heater
- Automatic water pump with filter Main circuit breaker at switch panel ■ Water level gauge
- Deck filler ■ Electric quietflush WC system with 100 gallon/120 US gallons (455 litres) holding tank, contents gauge and electric overboard discharge with macerator back-up system as well as dockside discharge system

  Holding tank level gauge on main switch panel

■ Automatic/manual override fire extinguishers in engine

- FIRE EXTINGUISHERS
- room with warning system at both helm positions and incorporating engine air vent closure system Hand-operated fire extinguishers (8) in master stateroom, forward, port, starboard and crew cabins, galley, utility room and lower helm position

#### Separate automatic fire extinguisher fitted in electrical space

- BILGE PUMPS  $\blacksquare$  Automatic electric bilge pumps (with manual override) in engine room, forward accommodation and aft (7 in all)
- Electric bilge pumps have controls and warning lights at lower helm and warning light with audible alarm at Manually operated high capacity bilge pump with valve

system and suction points in engine room, forward and

# aft accommodation areas

- OTHER ITEMS SUPPLIED AS STANDARD
- Set of cutlery, crockery and crystal glasses (8)Set of towels (8 large, 8 hand) ■ Fenders (8) and warps (4)

■ Ensign staff

First aid kit

■ Tool kit

■ Boathook ■ Owner's manual

■ Engine and equipment manuals

Quilted bedspreads for beds in all cabins

- (except crew cabin)

  Flybridge covers
- Ship's document case



Princess Yachts International plc Newport Street Plymouth Devon PL1 3QG UK

Tel: +44 (0)1752 203888 Fax: +44 (0)1752 203777

info@princessyachts.com

www.princessyachts.com