



Distinction in Detail



Your yacht is a part of your life. It's a home from home, a space to relax, a gateway to adventure, and a place to spend time with the people who matter most.

A Princess yacht makes the experience unforgettable. Combining breathtaking design, meticulous craftsmanship, cutting-edge technology and exceptional levels of personalisation, our craft set new standards in performance, comfort and style.

Wherever your voyage takes you, you'll remember every moment.



Distinction in Detail

At our shipyards in Plymouth, founded in 1965 on the edge of the English Channel, a highly skilled team of craftspeople come together to create something remarkable.

From designers to engineers, laminators to electricians, carpenters to metalworkers, each one possesses a mastery of their individual craft. And each one is completely focused on the details for which they are responsible.

Because by focusing on every detail, the end result is exactly how we want it to be. By taking pride in every detail, we can be proud of the finished yacht. And by perfecting every detail, we can create the perfect experience.








The all-new flagship of the S Class range, the Princess S80 features a sleek sporting design with high powered performance and premium craftsmanship. Inspired by urban living, the S80 provides a sense of contemporary elegance, with a single level main deck, flowing furniture and sophisticated detailed interiors. She delivers an excellent driving experience, with twin high performance V12 engines that smoothly transition from displacement to planning within seconds. The sportbridge is perfect for entertaining, with an incredibly large U-shaped seating area, port and starboard companion seating, servery with sink, fridge and barbeque, plus the option of a dining table and triple seats to the helm station.











The cockpit offers unique versatility with configurable seating including adjustable twin upholstered L-shaped seats which can manually slide in-board, outboard and forward facing alongside twin coffee tables and twin aft sun pads which flank the teak-capped stairs leading to the spacious electro-hydraulic bathing platform.

Below deck, eight guests enjoy four beautifully appointed en-suite cabins, all bathed in natural light from elegant hull glazing, with a further twin cabin aft for occasional guests or crew. A dedicated staircase leads from the main deck to the full-beam owner's stateroom amidships, via a private lobby area in the lower companion way.






S80

Layouts and Specification





S80 Sportbridge



S80 Main Deck



S80 Lower Deck

Principal Dimensions

Length overall (incl. pulpit) 83 ft 6 in / 25.44m

Length overall (excl. pulpit) 82 ft 4 in / 25.10m

Beam 19 ft 11 in / 6.07m

Draft 6 ft 0 in / 1.82m

Displacement approx. 63,949 kg / 140,983 lbs*

Fuel capacity 1,430 gal / 1,717 US gal / 7,000 l

Water capacity (excl. calorifier) 326 gal / 391 US gal / 1,480 l

Black water tank 119 gal / 143 US gal / 500 l

Engines - Diesel

Twin MAN V12-2000 (2 x 2,000mhp) Maximum speed range - 31-33 knots[†]

Full Specification

Deck fittings

- Teak-laid transom platform, transom steps, cockpit deck, stairway to sportbridge, side decks, foredeck & sportbridge areas
- Reversible hydraulic anchor winches with foredeck, main helm and sportbridge controls
- Stemhead roller with automatic anchor launch and retrieve
- Twin anchor system incorporating:
- Primary anchor 80kg galvanised Lewmar Claw anchor, with stainless steel Lewmar swivel and 100m of 14mm galvanised anchor chain
- Secondary anchor 50kg galvanised Lewmar Claw anchor, with stainless steel Lewmar swivel and 70m of 14mm galvanised anchor chain
- Deck chain stoppers
- Twin electric stern line mooring winches

- Deck natch access to chain locker, rope locker
- Freshwater deck/anchor wash (with both fore and aft deck outlets)
- Stainless steel foredeck fairleads (1 pair)
- Stainless steel stern fairleads (2 pairs)
- Stainless steel bow cleats (1 pair, port and starboard)
- Stainless steel spring cleats (2 pairs, port and starboard)
- Stainless steel stern cleats (2 pairs, port and starboard)
- Stainless steel transom cleats (1 pair)
- Stainless steel handrails to foredeck and main deck side decks
- PVC rubbing band with stainless-steel insert
- LED deck level lighting
- Full set of IMCO navigation lights
- Twin beam searchlight with remote controls
- Stern docking lights
- Twin electric horns
- Fuel and water fillers

i dei dila water illera

- Loudhailer
- Ensign socket and staff
- Holding tank dockside discharge connection
- Stainless-steel guard rails to foredecks
- Foredeck escape hatch
- Twin coach roof lockers for storage of fenders and ropes
- Foredeck forward-facing U-shaped seating area with optional coffee table
- Foredeck aft-facing U-shaped seating area with central storage locker with (grey porcelain top) and standard coffee table
- Williams tender launch system includes electric winch, rollers and non-slip pads and Williams Sportsjet 435 tender strapping
- Williams Sportsjet 435 tender strapping for use in tender garage

Cockpit and bathing platform

- Self-draining teak laid deck

- Princess logo in bathing platform teak
- Electro-hydraulic teak laid raise/lower bathing platform (550kg SWL)
- Retractable bathing ladder (manual) in side of bathing platform
- Hot & cold transom shower
- Garage fitout to include electro-hydraulic door and electric winch for tender up to
 4.35m
- Space below garage for optional Glendinning equipment
- Single transom gate leading to bathing platform
- Watertight top hinged door giving access from bathing platform into crew area/engine room
- Remote control telescopic passerelle with automatic folding handrails (1.2m overhang)
- Twin aft sun pads with cupholders and backrests/headrests
- Twin forward facing seats
- Twin upholstered aft facing bench seats which can be manually re-positioned if required

- Life raft stowage in port aft sun pad
- Engine room to cockpit escape hatch
- Integral stairway to sportbridge with teak step treads
- Teak extendable dining table (extends from 6 to 8) with 8 chairs
- Starboard side servery with sink and bin
- Starboard locker containing remote fuel shut-off, manual bilge pump with valve chest and manual controls for automatic fire extinguishers
- LED overhead and deck level lighting
- Stainless-steel oval handrails
- Canvas tonneau cover (Note: shortened to length of stowed cushion position to allow garage and crew access)
- Illuminated crown logo on transom
- 220v/240v shore support inlets (2)

Sportbridge

- Dual station instrument and controls console (see lower helm position)
- Helm position
- Twin upholstered seats with manual fore/aft

adjustment for helmsman on moulded seat base

- Drinks holders (2)
- USB charging points (2) (1x USB-A and 1x USB-C)
- Port and starboard companion seating
- Stainless steel capped fly screen
- Teak-laid deck
- Aft U-shaped seating area with coffee table
- Clear view hatch to aft cockpit
- Access stairway to aft cockpit
- Aft-facing moveable upholstered diningheight seat (can be locked in place when positioned behind helm seats), with tophinge storage unit and countertop aft of helm/navigator seat
- Portside servery with sink/tap, barbecue, drawer fridge and bin. Worktop is grey porcelain.
- LED deck level lighting
- Radar mast
- Twin matching whip aerials for VHF R/T radio
- Covers to exterior furniture

COVERS TO CATCHOL TURNITUE

- Optional dining table
- Optional GRP hardtop with dimmable LED lighting

Helm position

- Lower helm with fixed height captain's leather upholstered seat with manual fore and aft adjustment.
- Fixed navigator seat
- Helm seats Incorporates manual fold down foot rest (Optional fixed third helm seat)
- U-shaped companion seating to port with dining-height table
- Instrument console with display incorporating engine instruments, optional CCTV, fuel gauges, alarms and rudder position indicator
- Dual station instrument and controls console at lower helm position/sportbridge
 - power-assisted electro-hydraulic steering (Seastar)
 - adjustable Pininfarina steering wheel
 - high-speed magnetic compass

- electronic engine controls
- bow thruster control
- hydraulic anchor winch remote control
- colour radar (with scanner) and GPS/chart plotter(s) (twin 15.6" displays)
- 1 x 15" Böning display
- audible and visual alarm engine warning system
- autopilot
- speed and distance log
- echo sounder with alarm
- VHF with DSC R/T with intercom
- remote control dual searchlight
- horn button (to operate twin electric horns)
- audible and visual alarm for bilge pumps (via Böning)
- engine room fire extinguisher warning system
- Automatic fog horn with loudhailer
- Chart storage
- Drink holders (2)
- Toughened glass screen (clear for night vision) with windscreen de-mist system
- Windscreen wipers with freshwater windscreen wash

WILLIAGOLOGIL WAGEL

- Black mesh sunscreens
- Bilge pump controls with visual pump running warnings
- 24v and 240v electrical control panel
- Riding light, helm and navigation light control switches
- Dimmable LED overhead/concealed lighting (24V) with night lighting & scene selection
- V-groove planked timber-laid flooring (including steps to saloon)
- 220/240v outlets (1)
- USB charging points (2) (1x USB-A and 1x USB-C)
- Watertight pantograph door giving direct access from starboard side deck
- Electric drop window to port

Saloon

- Large sofa to starboard with storage below
- Sofa to port with crockery storage draw
- Coffee table
- No skylight/skylight blinds to saloon area as

stariuaru

- Panoramic tinted toughened glass windows port and starboard
- Manual sheer roller blinds to all outboard windows (not including helm area)
- 55" LED TV on rise and fall
- Naim Uniti Atom audio system with speakers
 (2) and subwoofer
- Dimmable LED overhead/concealed lighting (24V) with scene selection
- 220/240v outlets (2)
- USB charging points (4) (2x USB-A and 2x USB-C)
- Onboard ethernet router & 4G internet modem
- Access stairway to lower accommodation
- Fitted carpet

Galley

- Granite/quartz worktop
- Galley units in HPL
- Miele 4-zone induction hob
- Hob extractor fan
- Miolo combination convoction oven with

grill/microwave

- Sub-zero single full height refrigeration units with deep freeze drawers
- Miele slimline dishwasher
- 1.5 bowl stainless-steel sink with mixer tap
- Chopping board & storage
- Twin waste bin
- High and low-level storage cupboards and drawers
- Cutlery storage
- 220/240v power outlets (4)
- LED overhead & task lighting (24V)
- Manual sheer roller blinds to windows
- V-groove planked timber-laid flooring
- Starboard side sideboard containing storage units, glass storage, icemaker and refrigeration
- 3-panel stainless-steel framed cockpit doors, opening to starboard side, with port side window opening
- Manual skysol blind aft patio doors and adjacent windows

Accommodation

- All cabins and bathrooms feature opening portholes and air conditioning
- All cabins feature 220/240v power points
- All en-suites feature 240v shaver points

Owner's stateroom

- Large double bed with bedside tables and drawers below
- Dressing area with full length mirror, hanging, shelf and drawer storage
- Built-in safe
- Port side dressing table with integrated mirror, chair, storage drawers and cupboards
- Starboard side sofa with storage drawers to forward bulkhead
- 55" LED TV
- Naim Uniti Atom audio system with speakers
 (2) and subwoofer
- Panoramic windows including opening portholes
- Manual Venetian blinds to hull windows
- Dimmable LED overhead/concealed lighting (24V) with scene selection

- 220/240v outlets (2)
- USB charging points (4) (2x USB-A and 2x USB-C)
- Fitted carpet

En-suite bathroom

- Electric freshwater toilet
- Twin wash basins and vanity top in thermoformed Solid Surface
- Bathroom cabinets in interior boat timber choice (please specify), with chrome bathroom hardware
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Heated towel rail
- Window with opening porthole
- Manual tension Venetian blind
- LED overhead and concealed lighting (24V)
- Bathroom accessories
- Colid Curface flooring with synthetic took

accents (weathered) applied to feature shower bulkheads and shower floor

Forward stateroom

- Large double bed with bedside tables and drawers below
- Built-in safe
- Twin double wardrobes
- Port side dressing table with integrated mirror, stool and storage drawers
- 43" LED TV
- Naim Uniti Atom audio system with speakers (2)
- Panoramic windows including opening portholes
- Manual Venetian blinds to hull windows
- Dimmable LED overhead/concealed lighting (24V) with scene selection
- 220/240v outlets (2)
- USB charging points (4) (2x USB-A and 2x USB-C)
- Fitted carpet

En-suite bathroom

- Flectric freshwater toilet
- Wash basin and vanity top in thermoformed
 Solid Surface
- Bathroom cabinets in interior boat timber choice (please specify), with chrome bathroom hardware
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Window with opening porthole
- Manual tension Venetian blind
- LED overhead and concealed lighting (24V)
- Bathroom accessories
- Solid Surface flooring, with synthetic teak accents (weathered) applied to feature shower bulkheads and shower floor

Port guest cabin

- Two single beds with drawers below
- Bedside table

- Wardrobe with shelves
- Mirror
- Storage lockers
- Window with opening portholes
- Manual Venetian blinds to hull window
- Dimmable LED overhead/concealed lighting (24V) with scene selection
- Individual berth lights
- 220/240v outlets (1)
- USB charging points (2) (1x USB-A and 1x USB-C)
- Fitted carpet

En-suite bathroom

- Electric freshwater toilet
- Wash basin and vanity top in thermoformed
 Solid Surface
- Bathroom cabinets in interior boat timber choice (please specify), with chrome bathroom hardware
- Mirror
- Storage lockers
- Shower compartment with automatic pump

- out
- Extractor fan
- Windows with opening porthole
- Manual tension Venetian blind
- LED overhead and concealed lighting (24V)
- Bathroom accessories
- Solid Surface flooring, with synthetic teak accents (weathered) applied to feature shower bulkheads and shower floor

Starboard guest cabin

- Double bed with drawers below
- Bedside table
- Dressing table with stool
- Wardrobe with shelves
- Mirror
- Storage lockers
- Window with opening portholes
- Manual Venetian blinds to hull windows
- Dimmable LED overhead/concealed lighting (24V) with scene selection
- Individual berth lights
- 220/240v outlets (1)
- USB charging points (2) (1x USB-A and 1x

USB-C)

- Fitted carpet

En-suite bathroom

- Electric freshwater toilet
- Wash basin and vanity top in thermoformed
 Solid Surface
- Bathroom cabinets in interior boat timber choice (please specify), with chrome bathroom hardware
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Windows with opening porthole
- Manual tension Venetian blind
- LED overhead and concealed lighting (24V)
- Bathroom accessories
- Solid Surface flooring, with synthetic teak accents (weathered) applied to feature shower bulkheads and shower floor

Lobby / passageway area

- Linen cupboard below companionway stairs
- Top-loading storage unit outboard in window side liner
- Sideboard with mirror above
- Combination washer/dryer located below companionway stairs
- Dimmable LED overhead/concealed lighting (24V)
- Fitted carpet
- Manual roller blind to window

Crew cabin

- Access to engine room
- Twin bunk beds with storage below
- Wardrobe
- Mirror
- Storage locker
- Opening porthole
- Mono-command Venetian blind
- LED overhead lighting (24V)
- Individual berth light (2)
- 220/240v outlets (1)

- USB charging points (2) (1x USB-A and 1x USB-C)
- Non-slip safety flooring

Crew bathroom

- Electric freshwater toilet
- Washbasin with Koko White (gloss finish)
 Solid Surface vanity top
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- LED overhead lighting (24V)
- Bathroom accessories
- Solid Surface flooring in Koko white (satin finish)

Crew area

- Access from transom door
- Hanging rails
- Storage locker
- LFD overhead lighting (24V)

LLD OVOITIONS INSTITUTE (Z IV)

- Non-slip safety flooring
- Optional crew microwave and fridge (not available with SEABOB storage)
- Optional SEABOB storage (not available with microwave and fridge)
- Optional third berth
- Crew area is in gloss white laminate finish

Power and drive systems

- Forward and aft engine room bulkheads and engine room deck head integrally bonded including insulation with acoustafoam layers (Ref: Development Standard DS876)
- High volume air intakes
- Engine room extractor fan with electronic time delay
- Engine exhaust silencers and water-cooled exhausts
- Engines flexibly mounted
- Automatic fire extinguisher with remote override control
- Automatic and manual bilge pumps
- Propeller shafts in Marinemet

- 5-bladed propellers in nickel aluminium bronze
- High speed balanced rudders
- Cathodic protection for stern gear
- Stern gear, engines, fuel tank fillers, etc all electrically bonded
- LED Engine room lighting
- Engine room access from transom (via crew area) and cockpit deck hatch
- Power-assisted electro-hydraulic steering system
- Electronic engine and gear shift controls
- Bow thruster with dual-station controls (310KgF)
- Fresh water supply point in engine room
- Dripless self-aligning shaft seals

Electrical systems

24 Volt

- 4x heavy duty engine start battery
- 6x heavy duty auxiliary batteries
- 2x heavy duty generator start batteries
- Battery link facility with remote control at

- helm position
- Remote battery isolator control switches at main switch panel position
- Both battery banks are charged using a voltage sensitive relay that parallels both battery banks when a charging source is present
- 1 x 100A charger, 1x 100A-3500W charger/ inverter & 1x 10A charger (for generator batteries)
- Circuit breakers on all circuits
- 24v to 12v converters for certain navigation and radio circuits
- 24v to 240v/50Hz inverter for saloon a/v and galley fridge
- Galvanic isolation system
- Princess Connect telemetry and maintenance system

220/240 Volt

European specification: Standard 2x 27kW @
 50Hz with optional upgrade up to 2 x 28kW
 © 50Hz diesel generators in own sound

- shields, water cooled and with specially silenced exhaust systems and with remote operation from main control panel
- USA specification: Standard 2x 29kW @
 60Hz with optional upgrade up to 2 x 32kW
 @ 60Hz diesel generators in own sound shields, water cooled and with specially silenced exhaust systems and with remote operation from main control panel
- 220/240v shore power inlets (2x 63amp single phase)
- Shore power/generator change over control operated from main control panel
- Polarity check system
- Earth leakage safety trip, circuit breakers on all circuits
- Power points (240v) in all cabins and living areas, helm position and galley
- 240v shaver points in washrooms
- 2kW immersion heaters for fresh water (2)

Fuel system

- Main fuel tank with a total of 7000 litres fuel

- capacity (8800 litres if long range fuel tank is specified.)
- Fuel fillers to port and starboard
- High capacity duplex fuel filters/water traps with integral changeover valves and water sensors connected to alarms at helm position
- Remote fuel isolation controls in cockpit locker for main engines and generators
- Fuel gauges at helm position

Air conditioning system

- Air conditioning/heating reverse cycle (chilled water)
- 162,000 BTU fan capacity with 144,000 BTU chiller capacity suitable for temperatures to 40°C (tropical) incorporating a windscreen demist facility
- Outlets in all areas

Water system

 Fresh water tanks giving 1400 litres capacity plus 200 litres hot water calorifier

- Automatic water pump with filter (80l/min)
- Water level gauge
- Deck filler
- Pump control at helm positions
- Electric freshwater toilet system linked to 540 litres holding tank, content gauge and low noise electric overboard discharge, with macerator backup system as well as dockside discharge system

Extinguishers/fire control systems

- Automatic engine room fire extinguisher system (with manual override) and warning system at helm position providing automatic shutdown of engines, generators and ventilation fans
- Hand operated fire extinguishers in all guest cabins, galley, crew quarters and sportbridge
- Smoke detector (and heat detector as required) on each deck (10-year battery life)
- Automatic under helm fire extinguisher at lower helm

Bilge pumps

- Automatic/manual override electric bilge pumps in engine room, lazarette area and forward accommodation
- High capacity manual bilge system with suction points in the same areas
- Electric bilge pumps have controls and warning lights with audible alarm at helm position

Other standard equipment

- Ensign staff
- Fenders (8)
- Mooring warps (4)
- First Aid Kit
- Set of towels (8 large, 8 hand)
- Bed cover supplied to all cabins (except crew cabin)
- Complete set of Lucrezia crystal glassware (8 settings consisting of tumbler, highball and wine glasses)
- Set of Sous Le Soleil crockery (8 settings

- consisting of plate, cake plate, dessert plate, bowl, cup & saucer)
- Set of stainless-steel cutlery (8 settings of David Mellor "Paris" cutlery - 7 pieces)
- Tool kit
- Boat hook
- Owner's manual and engine manual
- Ship's document case

Finishes


- Teak-laid decks to all external deck areas (including sportbridge)
- V-groove planked timber-laid floor to galley and lower helm position
- Furniture in Rovere oak with satin finish as standard. Optional finishes include ash or silver oak with a satin finish or walnut wood in a satin or gloss finish
- Solid Surface floors in all bathroom suites in guest accommodation and optional day head
- Thermoformed Solid Surface wash basin vanity tops in all bathroom suites in guest accommodation and optional day head

- Bathroom cabinets in interior boat timber choice (please specify), with chrome bathroom hardware as standard in all guest bathrooms and optional day head (excluding crew bathroom)
- Synthetic teak accents (weathered) applied to feature shower bulkheads and shower floor in guest ensuites
- Galley counter top in granite or quartz
- Choice of high-quality carpets and fabrics from an extensive range
- Exterior upholstery to be selected from the Comfort Exterior fabric range (no contrast)
- Blinds to all windows and portholes (excludes helm and pantograph doors)
- All lower crew furniture is in gloss white laminate, with Solid Surface bathroom floor and vanity top
- Crew cabins have non-slip safety flooring
- Non-slip safety flooring to crew mess and passageway



Dynamic extended styling lines synonymous with the Princess S Class define the S72. Equipped with twin MAN V12 engines at 1650 or 1800 horsepower and a resininfused deep-V hull, she delivers dynamic performance and smooth handling at speeds of up to 36 knots.

The cockpit features a unique sociable U-shaped seating area with modular seating, folding teak table and servery unit - the perfect place to entertain, or to sit back, relax, and enjoy the yacht's exhilarating performance. The cockpit bar connects to the galley unit to create an almost seamless transition from outside to in, with a glass window partition which folds up from the unit below to provide servery access when entertaining.










The saloon is designed for sociable living, with a large L-shaped dining area opposite the fully equipped galley, leading to a cavernous main deck saloon with U-shaped sofa, Princess Design Studio coffee table, and an elegant sideboard unit containing a 55" UHD LED TV on rise and fall, plus companion seating with fold out table opposite the main helm.

Below deck, eight guests enjoy four beautifully appointed cabins, three of which are en-suite, all bathed in natural light from elegant hull glazing, with a further twin cabin with en-suite aft for occasional guests or crew. A dedicated staircase leads from the main deck to the full-beam owner's stateroom amidships, via a private lobby area in the lower companion way.



Take a virtual tour of the S72




Experience the S72




S72

Layouts and Specification






S72 Sportbridge



S72 Main Deck



S72 Lower Deck

Principal Dimensions

Length overall (incl. pulpit) 75 ft 9 in / 23.09m

Length overall (excl. pulpit) 73 ft 2 in / 22.30m

Beam 17 ft 11 in / 5.45m

Draft 5 ft 8 in / 1.72m

Displacement approx. 48,927 kg / 107,866 lbs*

Fuel capacity 990 gal / 1,189 US gal / 4,500 I

Water capacity (excl. calorifier) 184 gal / 221 US gal / 820 l

Black water tank 88 gal / 106 US gal / 400 I

Engines - Diesel

Twin MAN V12-1800 (2 x 1,800mhp) Maximum speed range - 36-38 knots[†]

Full Specification

Deck fittings

- Teak laid transom platform, transom steps, cockpit deck, sportbridge and sportbridge stairway areas. Teak laid side deck and foredeck walkthrough areas are optional
- Reversible electric anchor winch with foredeck, main helm and sportbridge controls
- Stem head roller with automatic anchor launch and retrieve
- Self-stowing 50kg/110lbs Delta anchor with 60m of 12mm chain
- Twin electric stern line mooring winches
- Deck hatch access to chain locker
- Bow rope stowage locker
- Freshwater deck/anchor wash
- Stainless steel bow and stern fairleads
- Stainless steel bow, stern and spring cleats (2 pairs)
- Stainless steel pulpit and guard rails

- Stainless steel coachroot and sportbridge handrails
- Foredeck escape hatch
- Foredeck U-shaped seating area
- Foredeck sunbathing area, twin sunbeds with integrated adjustable headrests with aft facing seat conversion. Storage locket between sunbeds with optional cool box
- Twin coachroof lockers for storage of fenders, ropes and covers
- PVC rubbing band with stainless steel insert
- LED deck level lighting integrated into scene selection lighting control
- Illuminated crown logo on transom
- Full set of IMCO navigation lights
- Riding light
- Stern docking lights
- Twin beam searchlight with dual station remote controls
- Loudhailer
- Twin electric horns
- Ensign socket and pole

Elisigii socket aliu pole

- Fuel and water fillers
- Holding tank dockside discharge connection

Cockpit and bathing platform

- Self-draining
- Upholstered U-shaped seating and sunpad.
 Forward sections movable to reconfigure cockpit
- Folding teak table with drink rings
- Servery unit
- LED overhead and deck level lighting integrated into scene selection lighting control
- Stainless steel handrails
- Garage to take tender 3.9m with electrohydraulic door and tender launch system with electric winch
- Top hinged door to aft crew cabin
- Lockable gas strut assisted hatch to engine room/lazarette
- Liferaft stowage locker

LITERATE SLOWAYE TOURER

- Rope storage lockers
- Locker containing remote fuel cocks, manual bilge pump with valve chest and manual controls for automatic fire extinguishers (to include gas ram)
- Integral stairway to sportbridge with teak step treads
- Cockpit cover
- Twin transom gates leading to bathing platform
- Retractable bathing ladder (manual) in side of hydraulic platform
- Transom steps to access stern from bathing platform when in lowered position
- Hot and cold transom shower
- 220/240v shore support inlet
- Electro-hydraulic raise / lower teak laid bathing platform (450kg SWL)
- Standard teak with Princess logo (small)
- Bathing platform aft rail
- Transom locker with internal rail in garage door

Sportbridge

- Dual station instruments and controls (see Lower Helm Position) and USB sockets (2x USB-A)
- Power assisted electro hydraulic steering with adjustable wheel
- Audible and visual alarm for bilge pumps
- Engine-room fire extinguisher warning system
- Twin helm seats with fore and aft adjustment for helmsman
- Port L-shaped seating (converts to sunbed)
- Large U-shaped upholstered seating
- Cup holders between L-shaped and Ushaped seating
- Folding teak table with drink rings
- Wet-bar with barbecue, sink, waste bin and storage
- Storage locker and navigator seat pedestal with integrated cool box
- Naim Uniti Atom audio unit with JL Audio M6-650X-L waterproof speakers (2)
- Clear view hatch to aft cockpit with stainless safety rail with glass balustrade

- Wind deflector screens
- Stainless steel handrails
- LED deck level lighting integrated into scene selection lighting control
- GRP radar arch
- Twin matching whip aerials for VHF R/T and radio
- Console, table and seat covers
- Optional GRP hardtop panel

Lower helm position

- Twin leather helm seats, including inboard arm rest, with fore and aft adjustment for helmsman's seat
- Instrument console with LED display incorporating engine instruments, fuel gauges, alarms and rudder position indicator
- Dual station instruments and controls at Sportbridge and Lower Helm Positions:
 - Power-assisted electro-hydraulic steering
 - Adjustable steering wheel
 - High-speed magnetic compass
 - Electronic engine controls

- Bow thruster control
- Electric anchor winch remote control
- Colour radar (with scanner) and GPS/ chartplotter
- Autopilot
- Speed and distance log
- Echo sounder with alarm
- VHF with DSC R/T with intercom
- Remote control searchlight
- Horn button
- Controls for standard trim tabs
- Böning system integrated with the following functionalities (displayed on separate dedicated display at helm):
 - Engine instrumentation (including fuel levels and fuel flow)
 - Digital boat alarms
 - Scene selection lighting controls
 - AC/DC control and monitoring
- Drinks holders
- Toughened glass screen (clear for night vision) with windscreen demist system
- Windscreen wipers with freshwater windscreen wash

- Black mesh sunscreens
- Bilge pump controls with visual pump running warnings
- 24v and 240v electrical control panel
- Riding light, helm and navigation light control switches
- USB connection point (1x USB-A and 1x USB-C)
- LED overhead lighting (24v) and night lighting integrated into scene selection lighting control
- Pantograph helmsman's door to starboard side deck
- 'V' groove planked timber flooring

Saloon

- U-shaped sofa
- Coffee table
- L-shaped sofa opposite helm area with foldout companion table and 220/240v outlet
- Sideboard unit with bottle and glass storage
- Refrigerator
- UHD LED TV (55") on rise and fall

- Naim audio system paired with speakers (2) and subwoofer
- Electric drop window to port
- Venetian blinds (in matte black) to all windows
- Dimmable LED overhead and concealed lighting (24v) integrated into scene selection lighting control
- Access stairway to lower accommodation
- Separate access stairway to owner's stateroom
- Fitted carpet

Dining area

- L-shaped sofa
- Folding dining table, Solid Surface countertop with timber edge
- Stainless steel framed sliding patio door to cockpit with integrated hinging window aft of galley
- Venetian blinds (in matte black) to windows and manual skysol blind to patio door
- Dimmable LED overhead and concealed

- lighting (24v) integrated into scene selection lighting control
- USB connection points (1x USB-A and 1x USB-C)
- 'V' groove planked timber flooring

Galley

- Solid surface worktop
- Solid surface countertop to cockpit and port servery unit
- Ceramic 4-zone induction hob
- Hob extractor
- Combination microwave/convection oven with grill
- Solid Surface 1.5 bowl sink with mixer tap
- Chopping board
- Deep corner below counter storage bin with lid to match galley countertop
- Full height refrigerator/deep freeze
- Dishwasher
- Icemaker
- Waste bin
- Drawers and storage cupboards
- Monation blinds (in matta black) to window

- venetian pilings (in matte plack) to window
- LED overhead and task lighting (24v) integrated into scene selection lighting control
- 220/240v outlets (4)
- 'V' groove plank timber flooring

Accommodation

- All cabins and bathrooms feature opening portholes and air conditioning
- All cabins feature 220/240v power points
- All bathrooms feature electric freshwater toilets and 240v shaver points

Owner's stateroom lobby

- Access stairway to owner's stateroom
- Panoramic window
- Manual venetian blinds
- A washer/dryer with cupboard above is fitted in the forward passageway in the guest accommodation (a separate washer and dryer may be optionally installed in place of the standard unit)

- LED overhead and concealed lighting (24v) integrated into scene selection lighting control
- Fitted carpet

Owner's stateroom

- Large double bed with drawers below
- Twin bedside tables
- Dressing area with wardrobes and storage
- Built in safe
- Dressing table with chair
- Mirror
- Sofa
- Storage lockers and drawers
- 55" UHD LED TV
- Naim audio system paired with speakers (2)
- Panoramic windows including opening portholes
- Manual venetian blinds
- Dimmable LED overhead and concealed lighting (24v) integrated into scene selection lighting control
- Individual berth lights

000/040 11 1 23

- 220/240v outlets (3)
- USB charging point (3) (each comprising 1x
 USB-A and 1x USB-C)
- Fitted carpet

En-suite bathroom

- Twin washbasins and vanity top in thermoformed Solid Surface
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Window with opening porthole and manual tension venetian blind
- LED overhead and concealed lighting (24v) integrated into scene selection lighting control
- Bathroom accessories
- Flooring in Solid Surface

Forward stateroom

- Large double bed with drawers below

- Wardrobe with shelves
- Dressing table
- Mirror
- Storage lockers and drawers
- Window with opening portholes
- Manual venetian blinds
- Deck hatch
- LED overhead and concealed lighting (24v) integrated into scene selection lighting control
- Individual berth lights
- 220/240v outlets (4)
- USB charging point (2) (each comprising 1x
 USB-A and 1x USB-C)
- Fitted carpet

En-suite bathroom

- Washbasin and vanity top in thermoformed
 Solid Surface
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Cytrootor for

- Extractor ian
- Window with opening porthole
- Manual tension Venetian blind
- LED overhead and concealed lighting (24v) integrated into scene selection lighting control
- Bathroom accessories
- Flooring in Solid Surface

Port guest cabin

- Two single beds with drawers below (with option of double bed conversion)
- Bedside table
- Wardrobe with shelves
- Mirror
- Storage lockers and drawers
- Window with opening portholes
- Manual venetian blinds
- LED overhead and concealed lighting (24v) integrated into scene selection lighting control
- Individual berth lights
- 220/240v outlets (2)
- USB charging points (1x USB-A and 1x USB-

C)

- Fitted carpet

En-suite bathroom

- Washbasin and vanity top in thermoformed
 Solid Surface
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Window with opening porthole
- Manual tension Venetian blind
- LED overhead and concealed lighting (24v) integrated into scene selection lighting control
- Bathroom accessories
- Flooring in Solid Surface
- Day access door from passageway (port side)

Starboard guest cabin

- Two single beds with drawers below (with

- option of double bed conversion)
- Bedside table
- Wardrobe with shelves
- Mirror
- Storage lockers and drawers
- Window with opening portholes
- Manual venetian blinds
- LED overhead and concealed lighting (24v) integrated into scene selection lighting control
- Individual berth lights
- 220/240v outlets (2)
- USB charging points (1x USB-A and 1x USB-C)
- Fitted carpet

Crew cabin

- Top hinge door access from transom
- Two single beds with storage below
- Wardrobe with shelf
- Mirror
- Storage lockers and drawers
- Opening portlight

- LED overhead lighting (24v)
- Individual berth lights
- 220/240v outlets (2)
- USB charging point (2) (each comprising 1x
 USB-A and 1x USB-C)
- Non-slip safety flooring
- White laminate furniture

Crew bathroom

- Washbasin with Carrara white Solid Surface vanity top (gloss finish)
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- LED overhead lighting (24v)
- Bathroom accessories
- Non-slip flooring
- Standard aft lazarette incorporates overhead lighting, access hatch with ladder and storage space via transom top hinged door

Power and drive systems

- Engine room soundproofed
- High volume air intakes
- Engine room extractor fan with electronic time delay
- Engine exhaust silencers and water-cooled exhausts
- Engine beds integrally moulded with hull for strength and vibration absorption
- Forward and aft engine room bulkheads integrally bonded
- Engines flexibly mounted
- Automatic fire extinguisher with remote override control
- Automatic and manual bilge pumps
- Propeller shafts in Marinemet
- 5-bladed propellers in nickel aluminium bronze
- High speed balanced rudders
- Cathodic protection for sterngear
- Sterngear, engines, fuel tank fillers, etc all electrically bonded
- Bow thruster (250kgf/551lbf) with dualstation controls

- Engine room lighting
- Engine room access and ladder
- Power-assisted electro-hydraulic steering system
- Trim tabs with indicators
- Electronic engine and gear shift controls
- Fresh water supply point in engine room
- Dripless self-aligning shaft seals

Electrical systems

24 Volt:

- 4 x heavy duty batteries for engine starting
- 6 x heavy duty auxiliary batteries
- Battery link facility with remote control at helm position
- Both battery banks are charged using a voltage sensitive relay that parallels both battery banks when a charging source is present
- 1 x 80-amp 24v battery charger and 1 x combination 3.0 kW 70-amp inverter charger
- 6-amp battery charger for generator battery
- Remote battery isolator control switches at

- main switch panel position
- Circuit breakers on all circuits
- 24v to 12v converters for certain navigation and radio circuits
- 24v to 240v/50Hz inverter for saloon A/V, galley fridge and telephone system
- Galvanic isolation system
- Princess Connect telemetry and maintenance system

220/240 Volt:

- 22.5kW generator in own sound shield with water-cooled and specially silenced exhaust
- Automatic fire extinguisher situated by generator
- 63-amp shore power inlet
- Shore power/generator change over control operated from main control panel
- Polarity check system
- Earth leakage safety trip, circuit breakers on all circuits
- Power points (240v) in all cabins and living areas, helm position and galley

- Shaver points in washrooms
- Smoke detectors (galley, stateroom, lower lobby and crew area)
- Böning system

Air conditioning

- Air conditioning/heating reverse cycle
- 128,000 BTU chiller with 128,000 BTU fan capacity
- Suitable for ambient temperature to 40°C (e.g. tropical)
- Controls in all cabins and outlets in all areas (includes outlets in bathrooms and crew cabin)
- Standard 22.5kW generator is suitable (N.B. this has sufficient capacity for Gyro stabilisers as well as air conditioning)

Fuel system

- Fuel tanks (in NS8 marine grade alloy) with interconnection system giving 4,500l/1,189
 US gal/990 gal capacity
- Fuel fillers on port and starboard side decks

- High-capacity duplex fuel filters with water traps and change-over valves, water warning sensors connected to warning lights at lower helm
- Remote fuel cocks in cockpit locker
- Fuel gauges at main helm console

Water system

- Water tanks totalling 836I/221 US gal/184 gal
 plus 73I/19 US gal/16 gal hot water calorifier
- Water heated by engines and 240v immersion heater
- Automatic water pump with filter
- Main circuit breaker at switch panel
- Water level gauge
- Deck filler
- Electric quiet flush toilet system with 400I/ 106 US gal/88 gal holding tank, content gauge and low noise electric overboard discharge, with macerator backup system as well as dockside discharge system

Fire extinguishers / control systems

- Automatic/manual override fire extinguishers in engine room
- Hand operated fire extinguishers (7) in owner's stateroom, forward stateroom, port and starboard guest cabins, galley, lower helm position and aft cabin

Bilge pumps

- Automatic/manual override electric bilge pumps in engine room (2), rudder area and forward accommodation (6 in all)
- High-capacity manual bilge pump with valve system and suction points in same areas
- Electric bilge pumps have controls and warning lights at main helm and warning light with audible alarm at sportbridge helm

Other standard equipment

- Ensign staff
- Fenders (8)
- Mooring warps (4)

. . . .

- Boat hook
- First Aid kit
- Tool kit
- Owner's manual and engine manual
- Functional bed covers supplied to all cabins (except optional crew cabin)
- Set of towels (8 large, 8 hand)
- Set of glassware (8 settings consisting of tumbler and wine glasses)
- Set of Princess china (8 settings consisting of plate, side plate, bowl, cup and saucer)
- Set of cutlery (8 settings of David Mellor "Paris" cutlery 7 pieces)
- Ship's document case
- Anchor winch back up handle

Finishes

- Teak-laid decks to transom platform, steps to flybridge and sportbridge
- 'V' groove planked timber floor to galley, dinette and helm
- Furniture in Rovere oak with satin finish as standard. Optional finishes include Ash or

- in a satin or gloss finish.
- Solid Surface floors in all bathroom suites
- Thermoformed Solid Surface wash hand basin vanity tops in all bathroom suites
- Galley countertop in Solid Surface with Solid Surface Sylmar White sink
- Choice of high-quality carpet and upholstery fabric from extensive range
- Blinds or sunscreens to all windows, doors and portholes
- Crew cabin has non-slip safety flooring, crew bathroom floor is Solid Surface with Solid Surface vanity tops



With a sleek exterior profile, the S65 balances dynamic form with breath-taking performance. The main deck flows from outside to in, surrounded by large hull length windows, sliding doors aft, an electrically sliding roof and an aft galley which connects beautifully to the cockpit.











Below deck, four cabins, including a full-beam master stateroom, can accommodate up to eight guests, plus optional crew cabin with en-suite.

Generously appointed deck areas, which include a spacious foredeck seating area, aft sunpad, hydraulic bathing platform and 3.3m tender garage become the perfect base for watersports.

The sportsbridge offers flexible seating areas with the option to adapt the space via a moveable backrest to offer a forward sunbed with storage below.










S65

Layouts and Specification



S65 Sportbridge



S65 Main Deck



S65 Lower Deck

Principal Dimensions

Length overall (incl. pulpit) 67 ft 7 in / 20.61m

Length overall (excl. pulpit) 65 ft 8 in / 20.03m

Beam 16 ft 9 in / 5.09m

Draft 5 ft 5 in / 1.66m

Displacement approx. 37,240 kg / 82,100 lbs*

Fuel capacity 902 gal / 1,083 US gal / 4,100 I

Water capacity (excl. calorifier) 176 gal / 212 US gal / 802 I

Black water tank 60 gal / 72 US gal / 272 I

Engines - Diesel

Twin MAN V12-1400 (2 x 1,400mhp) Maximum speed range - 34-36 knots[†]

Full Specification

Deck fittings

- Teak-laid transom platform, transom steps, cockpit deck, Sportbridge stairway and steps to side deck
- Reversible electric anchor winch with foredeck and helm position controls
- Stem head roller with automatic anchor launch and retrieve
- Self-stowing anchor system incorporating one Lewmar Delta anchor (40kg/88lb) with 60m of 9.5mm chain
- Bow rope storage locker
- Deck storage lockers for fenders
- Stainless steel bow fairleads (2) and stern fairleads (2)
- Cast stainless steel bow (2), stern (2) and spring cleats (4)
- Stainless steel pulpit and guardrails (round 32mm)
- Chainland stool coach roof handrails

Stalliless Steel Coach root Handralis

- PVC rubbing band with stainless steel insert
- LED deck level lighting
- Illuminated crown logo to transom
- Full set of IMCO navigation lights
- Riding light
- Searchlight with remote control
- Loudhailer (connected to VHF)
- Twin electric horns
- Fuel and water fillers
- Foredeck escape hatch
- Foredeck U-shaped seating area and walkthrough
- Foredeck sunbathing area with twin sunbeds including cushions with integrated storage locker and drinks holders (4)

Aft cockpit and bathing platform

- Self-draining
- U-shaped seating/dining area with folding

teak table and drinks holders

- Sunbed aft with drinks holders
- Cockpit countertop (aligned with galley countertop and hinging window), with under-stairs storage unit
- LED overhead and deck level lighting
- Integral stairway to Sportbridge
- Stainless steel handrails
- Life raft stowage locker
- Rope stowage lockers
- Lockable gas strut assisted hatch to lazarette to port side
- Lockable gas strut assisted hatch to lazarette/optional crew cabin to starboard under aft sunpad
- Lockable gas strut assisted hatch to engine room
- Locker containing remote fuel cocks, manual bilge pump with valve chest and manual controls for automatic fire extinguishers

- Twin transom gates leading to bathing platform
- Transom grab rail
- Ensign socket
- Garage (suitable for up to a Williams SportJet 345 or equivalent) with electrohydraulic door and tender launch system with electric winch
- Electro-hydraulic raise/lower teak laid bathing platform (500kg SWL)
- Retractable bathing ladder (manual) in side of hydraulic platform
- Transom steps to access stern from bathing platform when in lowered position
- Hot and cold transom shower
- 220/240v shore support inlet in locker
- Tonneau cover

Helm position

- Twin helm seats with fore and aft adjustment for helmsman, crown logo to both seats, flip up base to helm seat for door access
- Raymarine Axiom 2XL (15.6" display size)
 multifunction colour display incorporating

- GPS/chart plotter, log and echo sounder
- Raymarine Evolution autopilot with P70Rs control head
- 9" multifunction display, displaying engine instrumentation (including fuel levels and fuel flow)
- Dual station instruments and controls at Sportbridge and Lower Helm Positions:
 - power-assisted electro-hydraulic steering
 - adjustable steering wheel
 - rudder position indicator
 - magnetic compass
 - electronic engine controls
 - trim tab controls with indicators
 - bow thruster control
 - electric anchor winch remote control
 - VHF with DSC R/T with intercom
 - remote control searchlight
 - horn button
- Storage tray
- Drinks holders
- Toughened glass screen (clear for night vision)
- Windscreen wipers with freshwater

windscreen wash - review alternative control options during development

- Exterior black mesh windscreen covers
- Bilge pump controls with visual pump running warnings
- 24v and 240v electrical control panel
- Riding light, helm and navigation light control switches
- USB charging points (2) (1x USB-A and 1x USB-C)
- 220/240v outlet (1)
- LED overhead lighting (24v) and night lighting
- Pantograph helmsman's side door to starboard side deck
- Timber flooring (V-groove planked)

Sportbridge

- Dual station instruments and controls (see helm position)
- Raymarine Axiom 2XL (15.6" display size)
 multifunction colour display, incorporating
 GPS/chart plotter log and echo sounder

or of chare proceed, log and come sourider

- Raymarine Evolution autopilot with P70Rs control head
- 9" multifunction display, displaying engine instrumentation (including fuel levels and fuel flow)
- Adjustable steering wheel
- Drinks holders (2), storage box, and storage tray at helm position
- Separate helm and navigator seats (with sufficient space to allow ingress/egress without disturbing helmsman) with fore and aft adjustment for helmsman
- Forward U-shaped upholstered companion seating (converts to sunpad with infill)
- Aft large U-shaped upholstered seating area with storage below
- Movable back rest between dining and companion seating (to convert seating areas between U-shaped and L-shaped)
- Teak double-fold dining table with drinks holders
- Fusion Apollo SRX-400 audio system with Wi-Fi/Bluetooth/DAB. Paired with Fusion Signature 7.7" speakers (2)

- Wet bar with waste bin, electric grill/ barbecue and sink/tap, with Solid Surface countertop
- Top-loading cool box position behind navigator seat
- Clear view hatch to aft cockpit
- Wind deflector screens (grey tinted Perspex)
- Stainless steel handrails
- LED deck level lighting
- GRP radar arch
- Matched whip aerials for VHF R/T radio
- Console, seat, wet bar and table covers
- Optional GRP Sportbridge hardtop (including LED dimmable lighting) OR Optional bimini with/without electro hydraulic operation/ lighting
- USB charging points (2) (1x USB-A and 1x USB-C)

Deck saloon

- U-shaped sofa with storage/crockery drawers
- Coffee table

- Electric drop window to port
- Sideboard unit with bottle and glass storage, and refrigerator
- 55" TV on rise and fall
- Fusion Apollo MS-RA770 audio system with Wi-Fi/Bluetooth/ DAB. Paired with Focal 100ICW6 speakers (2)
- Storage drawers below navigator's seat
- Panoramic tinted toughened glass windows port and starboard
- Manual tension venetian blinds (matte black) to windows
- LED overhead and concealed lighting (24v)
- Access stairway to lower accommodation
- Skylights with dark grey tint and sliding blinds (option of powered opening roof)
- Fitted carpet
- 220/240v outlets (2)

Dining area

- L-shaped sofa with storage drawer
- Folding dining table/drinks holders (4)
- Stainless steel framed sliding door to cockpit

(three pane) with integrated hinging window

aft of galley (one fixed pane, two sliding panes, one flip window) and integrated
Skysol blind

- Manual tension venetian blinds (matte black) to windows
- LED overhead and concealed lighting (24v)
- 220/240v outlet (2)
- Timber flooring (V-groove planked)

Galley

- Solid Surface countertop
- 4-zone ceramic hob
- Extractor fan
- Combination microwave/convection oven with grill
- Full height fridge/freezer (2811)
- Twin-bowl (1.5) stainless steel sink with mixer tap
- Slimline full height dishwasher (9 place setting)
- Waste bin
- Drawers and storage cupboards

- Manual tension venetian blinds (matte black) to windows
- LED overhead and task lighting (24v)
- 220/240v outlets (4)
- Timber flooring (V-groove planked)

Accommodation

- All cabins and bathrooms (exc. crew bathroom) feature opening portholes
- All cabins feature 220/240v power points
- All bathrooms (exc. crew bathroom) feature
 240v shaver points
- All bathrooms feature electric freshwater toilets

Owner's stateroom

- Large double bed with drawers below
- Twin bedside tables

- Walk-through wardrobe area with hanging, drawer storage and full-length mirror
- Dressing table
- Sofa

Storage grawers

- 50" TV
- Fusion Apollo MS-RA770 audio system with Wi-Fi/Bluetooth/DAB. Paired with Focal 100ICW6 speakers (2)
- Panoramic windows including opening porthole
- Manual tension venetian blinds (grey)
- LED overhead and concealed lighting (24v)
- Individual berth lights
- 220/240v outlets (4) (1 per side and 2 beside vanity unit)
- USB charging points (4) (2 per side (1x USB-A and 1x USB-C))
- Fitted carpet

En-suite bathroom

- Wash basin with thermoformed, Solid Surface vanity top
- Mirror to vanity unit
- Storage lockers
- Shower compartment with automatic pump out
- Cytup atou fam

- Extractor ian
- Window with opening porthole
- Manual tension venetian blind (grey)
- LED overhead lighting (24v)
- Bathroom accessories
- Solid Surface flooring

Forward stateroom

- Large double bed with drawers below
- Wardrobe with shelves and full-length mirror
- Dressing table
- Storage lockers
- Windows with opening portholes
- Manual tension venetian blind (grey)
- Deck hatch
- LED overhead lighting (24v)
- Individual berth lights
- 220/240v outlets (3) (1 per side and 1 under vanity unit)
- USB charging points (4) (2 per side (1x USB-A and 1x USB-C))
- Fitted carpet

En-suite bathroom

- Wash basin with thermoformed, Solid Surface vanity top
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Window with opening porthole
- Manual tension venetian blind (grey)
- LED overhead lighting (24v)
- Bathroom accessories
- Solid Surface flooring

Starboard guest cabin

- Two single beds with drawers below (with option of sliding double bed conversion)
- Bedside table
- Wardrobe with shelves
- Mirror
- Storage lockers
- Window with opening portholes
- Manual tension venetian blinds (grey)

- LED overhead lighting (24v)
- Individual berth lights
- 220/240v outlets (1)
- USB charging points (2) (1x USB-A and 1x USB-C)
- Fitted carpet

En-suite bathroom

- Wash basin with thermoformed, Solid Surface vanity top
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Window with opening portholes
- Manual tension venetian blind (grey)
- LED overhead lighting (24v)
- Bathroom accessories
- Solid Surface flooring
- Day access door from lower lobby

Port guest cabin

- Two single beds (bunk)
- Wardrobe with shelf
- Mirror
- Storage lockers
- Window with opening portholes
- Manual tension venetian blinds (grey)
- LED overhead lighting (24v)
- Individual berth lights
- 220/240v outlet (1)
- USB charging points (2) (1x USB-A and 1x USB-C)
- Fitted carpet

Lower accommodation lobby / passageway area

- Combination washer/dryer with storage area above located below companionway stairs (option of separate washing and drying machines if required)
- LED overhead and concealed lighting (24v)
- Fitted carpet

Optional crew cabin (in place of aft lazarette)

- Furniture in specified choice of boat timber
- Single bed with storage below
- Lockers with shelf
- Opening porthole
- Hinged door with access from hatch under aft sunpad
- LED overhead lighting (24v)
- Individual berth lights
- 220/240v outlet (1)
- USB charging point (2) (1x USB-A and 1x USB-C)
- Timber floor

En-suite bathroom

- Bathroom in white laminate
- Wash basin with Solid Surface vanity top
- Storage lockers
- Shower with automatic pump out
- Extractor fan
- LED overhead lighting (24v)
- Bathroom accessories
- Non-slip flooring (GRP)

Power and drive systems

- Propeller shafts in Marinemet
- 5-bladed propellers in nickel aluminium bronze
- Bow thruster (170kgF) with dual-station controls
- High speed balanced rudders
- Power-assisted electro-hydraulic steering system
- Trim tabs with indicators
- Cathodic protection for stern gear
- Stern gear, engines, fuel tank fillers, etc all electrically bonded
- Forward and aft engine room bulkheads and engine room headlining to be integrally bonded including insulation with acoustafoam layers
- High volume air intakes
- Engine room extractor fan with electronic time delay
- Engine exhaust silencers and water-cooled exhausts
- Engine beds integrally moulded with hull for

- strength and vibration absorption
- Engines flexibly mounted
- Automatic fire extinguisher with remote override control
- Automatic and manual bilge pumps
- Engine room lighting
- Engine room access from cockpit deck, via hatch with ladder
- Electronic engine and gear shift controls
- Fresh water supply point in engine room
- Dripless self-aligning shaft seals

Electrical systems

24 Volt:

- 4 x heavy duty batteries for engine starting
- 4 x heavy duty auxiliary batteries
- 1 x generator battery
- Battery link facility with remote control at helm position
- Battery banks are charged using a voltage sensitive relay that parallels both battery banks when a charging source is present

- 60-amp battery charger charges both banks of batteries via an automatic switch charging system
- 6-amp battery charger for generator battery
- Remote battery master switches with control switch at main switch panel
- Circuit breakers on all circuits
- 12v voltage dropper for certain navigation and radio circuits
- Princess Connect telemetry and maintenance system

220/240 Volt:

- EU specification: 11Kw diesel generator in own sound shield with water cooled specially silenced exhaust systems
- US specification: 13.5kW diesel generator in own sound shield with water cooled specially silenced exhaust systems
- Automatic fire extinguisher situated by generator
- 60-amp shore support inlet
- 6-amp battery charger for generator battery

- Generator/shore support change-over switch
- Polarity check system
- Earth leakage safety trip
- Circuit breakers on all circuits
- Power points in: master stateroom, guest cabins, galley and saloon area
- Shaver points in all bathrooms (exc. crew)

Fuel system

- Twin fuel tanks (in NS8 marine grade alloy)
 with interconnection system giving 902 gal /
 1083 US gal / 4,100 I capacity
- Fuel fillers on port and starboard side decks
- High-capacity duplex fuel filters with water traps with change-over valves, water warning sensors connected to warning lights at lower helm
- Remote fuel cocks in cockpit locker
- Fuel gauges at main helm console (via MFD)

Water system

Water tanks totalling 176 gal / 211 US gal / 800 I plus 16 gal / 19 US gal / 73 litres hot

- water calorifier
- Water heated by engines and 240v immersion heater
- Automatic water pump with filter
- Main circuit breaker at switch panel
- Water level gauge
- Deck filler
- Electric WC system with 60 gal / 72 US gal / 272 I holding tank, content gauge and low noise electric overboard discharge, with macerator backup system as well as dockside discharge system

Bilge pumps

- Automatic/manual override electric bilge pumps in engine room (2), rudder area, lazarette and forward accommodation (6 in all)
- High-capacity manual bilge pump with valve system and suction points in same areas
- Electric bilge pumps have controls and warning lights at main helm and warning light with audible alarm at Sportbridge helm

Fire extinguishers

- Automatic/manual override fire extinguishers in engine room with warning system at helm position
- Hand-operated fire extinguishers (6) in master stateroom, forward, port and starboard guest cabins, galley and helm position
- Additional extinguisher fitted when optional aft cabin is specified
- Automatic under helm fire extinguisher at lower helm

Other standard equipment

- Ensign staff
- Fenders (6)
- Mooring warps (4)
- Boat hook
- First-aid kit
- Tool kit
- Owner's manual and engine manual
- Functional bed linen supplied to all cabins

- (including optional aft cabin when specified)
- Set of glassware (8 settings consisting of tumbler and wine glasses)
- Set of Princess china (8 settings consisting of plate, side plate, bowl, cup & saucer)
- Set of cutlery (8 settings of David Mellor "Paris" cutlery 7 pieces)
- Ship's document case
- Anchor winch back up handle
- S65 canopy badges

Finishes

- Teak-laid decks to transom platform, transom steps, steps to side decks, cockpit deck, steps to Sportbridge and steps to side decks
- Timber-laid floor to galley, dining area (Vgroove planked)
- Furniture in Rovere oak with satin finish as standard. Optional finishes include ash or silver oak with a satin finish or walnut wood in a satin or gloss finish
- Solid Surface floors in all bathroom suites in guest accommodation
- Solid Surface wash basin vanity tops in all


bathrooms

- Galley countertop in Solid Surface
- Choice of high-quality carpet and upholstery fabric from extensive range
- Exterior upholstery in white vinyl as standard, with optional upgrade to Comfort Exterior available
- Manual tension venetian blinds (matte black to main deck, grey to lower deck) to all windows
- Optional crew cabin furniture in specified choice of boat timber with timber flooring.
 Crew bathroom in white laminate with white Solid Surface vanity tops and non-slip (GRP) flooring



Powerful yet elegant, the S62's sleek exterior styling presents a dynamic, agile stance. With an optimised hull form spearheading her efficiency, her MAN V8 1200 engines mean you can experience speeds up to 38 knots. When at anchor her electro-hydraulic bathing platform creates a convenient launch system for a 3.4m tender, a jet ski, or simply a secluded swimming platform.









Her sociable galley aft arrangement features an open-plan dining area with sliding doors and a fully opening window leading out to the cockpit. Below deck, six guests are comfortably accommodated across an en suite full-beam owner's stateroom and two further guest cabins with the option of an additional crew cabin aft.





Take a virtual tour of the S62








S62


Layouts and Specification



S62 Sportbridge



S62 Main Deck



S62 Lower Deck

Principal Dimensions

Length overall (incl. pulpit) 62 ft 11 in / 19.17m

Length overall (excl. pulpit) 62 ft 1 in / 18.92m

Beam 16 ft 0 in / 4.87m

Draft 4 ft 9 in / 1.46m

Displacement approx. 28,760 kg / 63,405 lbs*

Fuel capacity 715 gal / 858 US gal / 3,250 I

Water capacity (excl. calorifier) 132 gal / 159 US gal / 603 l

Black water tank 55 gal / 66 US gal / 250 I

Engines - Diesel

Twin MAN V8-1200 (2 x 1,200mhp) Maximum speed range - 36-38 knots[†]

Full Specification

Deck fittings

- Teak-laid transom platform, cockpit deck,
 sportbridge stairway and steps to side deck
- Reversible electric anchor winch with foredeck and helm position controls
- Stemhead roller with automatic anchor launch and retrieve
- Self-stowing (32kg/77lb) Delta anchor with 40m of chain
- Bow rope storage locker
- Freshwater deck/anchor wash
- Walk through coach-roof seating area
- Foredeck sunbathing area
- Deck storage locker for fenders and ropes
- Stainless steel bow, stern and spring cleats(8)
- Stainless steel pulpit and guardrails
- Stainless steel coach-roof handrails
- Foredeck hatch
- PVC rubbing band with stainless steel insert

- LED deck level lighting
- Full set of IMCO navigation lights
- Riding light
- Searchlight with remote control
- Illuminated crown logo to transom
- Twin electric horns
- Fuel and water fillers
- Ensign socket and staff

Cockpit and bathing platform

- Self-draining
- U-shaped seating/dining area with folding teak table
- Sunbed aft
- LED overhead and deck level lighting
- Stainless steel handrails
- Garage (to take tender up to 3.3m) with electro-hydraulic door and tender launch system with electric winch
- Liferaft stowage locker
- Rope stowage lockers

- Lockable gas strut assisted hatch to lazarette
- Lockable gas strut assisted hatch to lazarette/optional crew cabin
- Lockable gas strut assisted hatch to engine room
- Locker containing remote fuel cocks, manual bilge pump with valve chest and manual controls for automatic fire extinguishers
- Twin transom doors leading to bathing platform
- Electro-hydraulic raise/lower teak laid bathing platform (450kg SWL)
- Retractable bathing ladder (manual) in side of hydraulic platform
- Transom steps to access stern from bathing platform when in lowered position
- Hot and cold transom shower
- Marine audio system with radio and streaming capabilities with waterproof speakers
- 220/240v shore support inlet in locker

Tonneau canvas cover

Sportbridge

- Twin helm seats with fore and aft adjustment for helmsman
- Instrument console with dual station controls and 9" colour multifunctional display incorporating engine instruments, fuel gauges, alarms and rudder position indicator (see Lower Helm Position)
- 16" colour mfd screen incorporating GPS/
 Chartplotter, log and echo sounder
- Adjustable steering wheel
- Drinks holders
- Wetbar with sink, storage, top loading coolbox and optional barbeque
- Aft L-shaped upholstered seating
- Teak folding table
- Upholstered L-shaped companion seating (converts to sunpad)
- Marine audio system with radio and streaming capabilities with waterproof speakers

- Clear view hatch to aft cockpit
- Wind deflector screens
- Stainless steel handrails
- LED deck level lighting
- GRP radar arch
- Matched whip aerials for VHF R/T and radio
- Console and seat covers
- Optional folding bimini with manual/ electro hydraulic operation

Helm position

- Twin helm seats with fore and aft adjustment for helmsman
- Instrument console with dual station controls and 9" colour multifunctional display incorporating engine instruments, fuel gauges, alarms and rudder position indicator
- 16" brilliant colour multi-function display incorporating GPS/chartplotter, log and echo sounder
- Dual station instruments and controls at Sportbridge and Lower Helm Positions:
 - power-assisted electro-hydraulic steering
 - adjustable steering wheel

- rudder position indicator
- high-speed magnetic compass
- electronic engine controls
- trim tab controls with indicators
- bow thruster control
- electric anchor winch remote control
- autopilot
- VHF with DSC R/T with intercom
- remote control searchlight
- horn button
- Drinks holders
- Toughened glass screen (clear for night vision)
- Windscreen wipers with freshwater windscreen wash
- Exterior black mesh windscreen covers
- Bilge pump controls with visual pump running warnings
- 24v and 240v electrical control panel
- Riding light, helm and navigation light control switches
- USB connection point
- LED overhead lighting (24v) and night lighting

- Electric drop window
- Timber flooring V grooved planked

Saloon

- U-shaped sofa
- Coffee table
- Sideboard unit with bottle and glass storage
- Refrigerator
- 50" UHD LED TV on rise and fall
- Fusion Apollo MS-RA770 Audio stereo system paired with Focal 100 ICW5 speakers
 (4)
- Electric drop window to port
- Blinds or sunscreens to all windows and doors
- LED overhead and concealed lighting (24v)
- Access stairway to lower accommodation
- Skylights with reflecto-glass and sliding blinds (option of powered opening roof)
- Fitted carpet

Dining area

- L-shaped sofa

- Folding dining table
- Stainless steel framed sliding door to cockpit with integrated hinging window aft of galley
- Blinds or sunscreens to all windows and doors
- LED overhead and concealed lighting (24v)
- Timber flooring (planked)

Galley

- Solid surface counter top
- 4-zone ceramic hob
- Extractor fan
- Combination microwave/convection oven with grill
- Stainless steel sink with mixer tap
- Full height fridge/freezer (270l)
- Waste bin
- Drawers and storage cupboards
- Blinds or sunscreens to all windows and doors
- LED overhead and task lighting (24v)
- 220/240v outlets (4)
- Timber flooring (planked)

Accommodation

- All cabins and bathrooms feature opening portholes
- All cabins feature 220/240v power points
- All bathrooms feature electric freshwater toilets and 240v shaver points

Owner's stateroom

- Large double bed with drawers below
- Twin bedside tables
- Wardrobes with hanging and drawer storage
- Dressing table
- Mirror
- Sofa
- Storage lockers and drawers
- 43" UHD LED TV
- Fusion MS-RA670 audio system paired with Fusion 6" CL602 (2) speakers
- Panoramic windows including opening porthole
- Curtains or blinds
- LED overhead and concealed lighting (24v)

- Individual berth lights
- 220/240v outlets (2)
- USB charging point
- Fitted carpet

En-suite bathroom

- Wash basin with solid surface counter top
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Window with opening porthole
- Manual tension venetian blind
- LED overhead and concealed lighting (24v)
- Bathroom accessories
- Solid surface flooring

Forward stateroom

- Large double bed with drawers below
- Wardrobe with shelves
- Dressing table
- Mirror

. 🔾 .

- Storage lockers
- Window with opening porthole
- Manual tension venetian blind
- Deck hatch
- LED overhead and concealed lighting (24v)
- Individual berth lights
- 220/240v outlets (2)
- USB charging point
- Fitted carpet

En-suite bathroom

- Wash basin with solid surface counter top
- Mirror
- Storage lockers
- Shower compartment with automatic pump out
- Extractor fan
- Window with opening porthole
- Manual tension venetian blind
- LED overhead and concealed lighting (24v)
- Bathroom accessories
- Solid surface flooring
- Access door from passageway

Starboard guest cabin

- Two single beds with drawers below (with option of double bed conversion)
- Bedside table
- Wardrobe with shelves
- Mirror
- Storage lockers and drawers
- Window with opening porthole
- Manual tension venetian blind
- LED overhead and concealed lighting (24v)
- Individual berth lights
- 220/240v outlets (2)
- USB charging point
- Fitted carpet

Optional crew cabin (in place of aft lazarette)

- Single bed with storage below
- Wardrobe with shelf
- Mirror
- Wash basin with solid surface counter top
- Storage lockers
- Opening porthole
- 1 EB 1 10 10 204 5

- LED overhead lighting (24v)
- Individual berth light
- 220/240v outlet (1)
- Non-slip safety flooring

En-suite bathroom

- Shower with automatic pump out
- Extractor fan
- LED overhead lighting (24v)
- Bathroom accessories

Power and drive systems

- 5-bladed propellers in nickel aluminium bronze
- Bow thruster (130kgf/287lbf) with dualstation controls
- Engine room lighting
- Engine room access hatch and ladder
- Power-assisted electro-hydraulic steering system
- Trim tabs with indicators
- Electronic engine and gear shift controls
- Engine room extractor fan with electronic

- time delay
- Fresh water supply point in engine room
- Dripless self-aligning shaft seals

Electrical systems

24 Volt:

- 4 x heavy duty batteries for engine starting
- 4 x heavy duty auxiliary batteries
- 1 x generator battery
- Battery link facility with remote control at helm position
- Both battery banks are charged using a voltage sensitive relay that parallels both battery banks when a charging source is present
- 60 amp battery charger charges both banks of batteries via an automatic switch charging system
- Remote battery master switches with control switch at main switch panel
- Circuit breakers on all circuits
- 12v voltage dropper for certain navigation
 and radio circuits

and radio chicans

 Princess Connect telemetry and maintenance system

220/240 Volt:

- 11Kw diesel generator in own sound shield with water cooled specially silenced exhaust
- Automatic fire extinguisher situated by generator
- 50 amp shore support inlet
- Generator/shore support change-over switch
- Polarity check system
- Earth leakage safety trip
- Circuit breakers on all circuits
- Power points in: owner's stateroom, guest cabins, galley and saloon area
- Shaver points in all bathrooms

Fuel system

- Twin fuel tanks (in NS8 marine grade alloy)
 with interconnection system giving 715 gal / 858 US gal / 3,250l
- Fuel fillers on port and starboard side decks

- High-capacity duplex fuel filters with water traps with change-over valves, water warning sensors connected to warning lights at lower helm
- Remote fuel cocks in cockpit locker
- Fuel gauges at main helm console

Water system

- Water tanks totalling 116 gal / 159 US gal / 530l plus 16 gal / 19 US gal / 73l hot water calorifier
- Water heated by engines and 240v immersion heater
- Automatic water pump with filter
- Main circuit breaker at switch panel
- Water level gauge
- Deck filler
- Electric freshwater toilet system with 55 gal / 66 US gal / 250I holding tank, content gauge and low noise manual overboard discharge, with macerator backup system as well as dockside discharge system

Fire extinguishers

- Automatic/manual override fire extinguishers in engine room with warning system at helm position
- Hand-operated fire extinguishers (5) in owner's stateroom, forward and starboard guest cabins, galley and helm position
- Additional extinguisher fitted when optional aft cabin is specified

Bilge pumps

- Automatic/manual override electric bilge pumps in engine room (2), rudder area, lazarette and forward accommodation (6 in all)
- High-capacity manual bilge pump with valve system and suction points in same areas
- Electric bilge pumps have controls and warning lights at main helm and warning light with audible alarm at sportbridge helm


Other standard equipment

- Ensign staff
- Fenders (6)
- Mooring warps (4)
- Boat hook
- First-aid kit
- Tool kit
- Owner's manual and engine manual
- Quilted bed covers supplied to all cabins (except optional crew cabin)
- Ship's document case
- Anchor winch back up handle

Finishes

- Teak-laid decks to transom platform, steps to side decks, cockpit deck steps to sportbridge, sportbridge and steps to side decks
- Timber-laid floor to galley and dining area, planked
- Furniture in Rovere oak with satin finish as standard. Optional finishes include ash or silver oak with a satin finish or walnut wood

- in a satin or gloss finish
- Solid surface floors in all bathroom suites in guest accommodation
- Solid surface counter tops in all bathroom suites in guest accommodation
- Galley counter top in solid surface
- Choice of high-quality carpet and upholstery fabric from extensive range
- Blinds or sunscreens to all windows and portholes
- Optional crew cabin has non-slip safety flooring, crew bathroom has white solid surface counter tops



For your peace of mind, we provide a telemetry and transparent maintenance system as standard on all our new yachts.

Princess Connect is designed to keep you and your yacht in continuous communication, providing remote monitoring anywhere in the world.

In addition to enhanced control onboard, Princess Connect acts as your virtual service operator, providing personalised notifications on upcoming maintenance requirements, a digital library of user guides and manuals, and further support information.








With an extensive network of distributors around the globe, we are able to bring you personalised world-class service almost anywhere. We do all that we can to make sure that the process of buying a Princess is yet another exciting aspect of ownership.

Our specialist dealers have years of experience and unparalleled knowledge of our yachts. For more information on any one of the yachts in our range, please contact your local Princess office. Address and contact details can be found on our website.

Global Coverage Princess Distributors



- * Displacements are calculated with 50% fuel and water with liferaft but with no optional equipment fitted or other gear.
- [†] Maximum speeds will vary depending on cleanliness of hull, condition of sterngear, loading of craft, water and air temperatures, sea conditions and other factors. Speed estimates are therefore given in good faith but without warranty or liability on the part of Princess Yachts Limited. Craft illustrated in this brochure may be fitted with certain optional equipment. Specifications may be changed at any time without notice or liability.
- ‡ Certain specifications, which vary by model, are upgraded on Princess Yachts built for use in North America. Thus, specifications and equipment will vary from the information listed in the brochure for North American Princess Yachts (e.g. air conditioning and an upgraded generator will be included as standard for all North American models and electric cooking facilities will be supplied in place of gas systems). Please contact Princess Yachts America for full details regarding the North American specifications for individual models.

Thank you For more information or to find a distributor, please visit our website.

Cookies [1] [2] Terms [1] [2] Privacy [1] [2]